



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 694]

नई दिल्ली, शुक्रवार, अगस्त 1, 2003/श्रावण 10, 1925

No. 694]

NEW DELHI, FRIDAY, AUGUST 1, 2003/SRAVANA 10, 1925

सड़क परिवहन और राजमार्ग मंत्रालय

अधिसूचना

नई दिल्ली, 1 अगस्त, 2003

का.आ. 883(अ).—केन्द्रीय सरकार, राष्ट्रीय राजमार्ग अधिनियम, 1956 (1956 का 48) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 3क की उप धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह समाधान हो जाने के पश्चात् कि तमिलनाडु राज्य में राष्ट्रीय राजमार्ग संख्या-45 के 104 कि.मी. से 122 कि.मी. तक (ताम्बरम - टिन्डीवनम खण्ड) के भूखण्ड पर (चार लेन का) निर्माण करने के लोक प्रयोजन के लिए वह भूमि जिसका संक्षिप्त वर्णन नीचे अनुसूची में दिया गया है, अपेक्षित है, ऐसी भूमि का अर्जन करने के अपने आशय की घोषणा करती है ;

उक्त भूमि में हितबद्ध कोई व्यक्ति, राजपत्र में इस अधिसूचना के प्रकाशन की तारीख से इक्कीस दिन के भीतर उक्त अधिनियम की धारा 3ग की उप-धारा (1) के अधीन पूर्वोक्त प्रयोजनों के लिए ऐसी भूमि के उपयोग के संबंध में आक्षेप कर सकेगा ;

ऐसा प्रत्येक आक्षेप सक्षम प्राधिकारी अर्थात् जिला राजस्व अधिकारी, जिला विल्लुपुरम, तमिलनाडु को लिखित रूप में किया जाएगा और उसमें उसके आधार उपवर्णित किए जाएंगे और सक्षम प्राधिकारी आक्षेपकर्ता को व्यक्तिगत रूप में या किसी विधि व्यवसायी द्वारा सुने जाने का अवसर देगा और ऐसे सभी आक्षेपों की सुनवाई के पश्चात् तथा ऐसी और जाँच करने के पश्चात्, यदि कोई हो, जिसे सक्षम प्राधिकारी आवश्यक समझे, आदेश द्वारा या तो आक्षेपों को अनुज्ञात अथवा अननुज्ञात कर सकेगा ;

सक्षम प्राधिकारी द्वारा उक्त अधिनियम की धारा 3ग की उप धारा (2) के अधीन किया गया कोई आदेश अंतिम होगा ;

इस अधिसूचना के अधीन आने वाली भूमि के रेखांक और अन्य ब्यौरे उपलब्ध हैं और उनका पूर्वोक्त सक्षम प्राधिकारी के कार्यालय में हितबद्ध व्यक्तियों द्वारा निरीक्षण किया जा सकता है ।

अनुसूची

तमिलनाडु राज्य के विल्लुपुरम जिले में राष्ट्रीय राजमार्ग संख्या 45 के 104 कि. मी. से 122 कि.मी. तक (ताम्बरम - टिन्डीवनम खण्ड) को चार लेन का बनाने के लिए अर्जन की जाने वाली भूमि का संक्षिप्त वर्णन।

जिला - विल्लुपुरम

तालुक - टिन्डीवनम

| क्रम.सं. | गाँव का नाम | सर्वेक्षण संख्या | भूमि की किस्म | भूमि की प्रकृति | भूमि का क्षेत्रफल | |
|----------|-------------|------------------|---------------|-----------------|-------------------|-----------|
| | | | | | हेक्टेयर | वर्ग मीटर |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1. | पंचालम | 150/1 बी | निजी | शुष्क | 0.15.5 | 1550 |
| | | 150/2बी1 | निजी | शुष्क | 0.38.5 | 3850 |
| | | 150/3बी1 | निजी | शुष्क | 0.42.5 | 4250 |
| 2. | सरम | 97/3बी | निजी | शुष्क | 0.00.5 | 50 |
| | | 97/10बी | निजी | शुष्क | 0.06.0 | 600 |
| | | 97/11बी | निजी | शुष्क | 0.11.0 | 1100 |
| | | 100/5 | निजी | शुष्क | 0.08.5 | 850 |
| | | 100/6बी | निजी | शुष्क | 0.09.0 | 900 |
| | | 100/4बी | निजी | शुष्क | 0.05.5 | 550 |
| | | 100/7बी | निजी | शुष्क | 0.15.5 | 1550 |
| | | 100/8 | निजी | शुष्क | 0.03.5 | 350 |
| | | 100/9 | निजी | शुष्क | 0.07.0 | 700 |
| | | 100/10बी | निजी | शुष्क | 0.11.0 | 1100 |
| | | 100/11ए | निजी | शुष्क | 0.20.5 | 2050 |
| | | 100/11बी | निजी | शुष्क | 0.02.0 | 200 |
| | | 101/1बी | निजी | शुष्क | 0.00.5 | 50 |
| | | 101/3बी | निजी | शुष्क | 0.04.5 | 450 |
| | | 101/4 | निजी | शुष्क | 0.09.5 | 950 |
| | | 101/5बी | निजी | शुष्क | 0.15.0 | 1500 |
| | | 101/6बी | निजी | शुष्क | 0.11.5 | 1150 |
| | | 101/9बी | निजी | शुष्क | 0.28.5 | 2850 |
| | | 101/10बी | निजी | शुष्क | 0.18.5 | 1850 |
| | | 104/3बी | निजी | शुष्क | 0.01.0 | 100 |
| | | 104/4बी | निजी | शुष्क | 0.18.5 | 1850 |
| | | 104/5बी | निजी | शुष्क | 0.17.0 | 1700 |
| | | 104/8बी | निजी | शुष्क | 0.00.5 | 50 |
| | | 104/9बी | निजी | शुष्क | 0.01.5 | 150 |
| | | 104/10बी | निजी | शुष्क | 0.06.0 | 600 |
| | | 104/11 | निजी | शुष्क | 0.18.0 | 1800 |
| | | 104/12 | निजी | शुष्क | 0.18.5 | 1850 |
| | | 259/1ए | निजी | शुष्क | 0.26.5 | 2650 |
| | | 259/2 | निजी | शुष्क | 0.06.0 | 600 |
| | | 259/3 | निजी | शुष्क | 0.06.0 | 600 |
| | | 259/4बी | निजी | शुष्क | 0.17.5 | 1750 |
| | | 259/5ए | निजी | शुष्क | 0.03.0 | 300 |
| | | 259/6ए | निजी | शुष्क | 0.01.5 | 150 |
| | | 268/1 | निजी | शुष्क | 0.09.5 | 950 |
| | | 268/2 | निजी | शुष्क | 0.12.0 | 1200 |
| | | 268/3 | निजी | शुष्क | 0.17.5 | 1750 |

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|-----|-----|---------|------|-------|--------|------|
| | | 268/4 | निजी | शुष्क | 0.08.0 | 800 |
| | | 268/5 | निजी | शुष्क | 0.11.0 | 1100 |
| | | 268/6ए | निजी | शुष्क | 0.14.0 | 1400 |
| | | 268/8ए | निजी | शुष्क | 0.00.5 | 50 |
| | | 268/9ए | निजी | शुष्क | 0.07.5 | 750 |
| | | 268/10ए | निजी | शुष्क | 0.04.0 | 400 |
| | | 268/11ए | निजी | शुष्क | 0.00.5 | 50 |
| | | 269/1 | निजी | शुष्क | 0.08.0 | 800 |
| | | 269/2ए | निजी | शुष्क | 0.12.0 | 1200 |
| | | 269/3ए | निजी | शुष्क | 0.04.0 | 400 |
| | | 269/4 | निजी | शुष्क | 0.31.0 | 3100 |
| | | 269/5ए | निजी | शुष्क | 0.03.0 | 350 |
| | | 269/6ए | निजी | शुष्क | 0.00.5 | 50 |
| | | 269/7 | निजी | शुष्क | 0.17.5 | 1750 |
| | | 269/8 | निजी | शुष्क | 0.05.5 | 550 |
| | | 269/9 | निजी | शुष्क | 0.03.0 | 300 |
| | | 269/10 | निजी | शुष्क | 0.04.0 | 400 |
| | | 269/11 | निजी | शुष्क | 0.10.0 | 1000 |
| | | 269/12ए | निजी | शुष्क | 0.02.5 | 250 |
| | | 269/13ए | निजी | शुष्क | 0.11.0 | 1100 |
| | | 272/7बी | निजी | शुष्क | 0.02.0 | 200 |
| | | 272/8 | निजी | शुष्क | 0.14.0 | 1400 |
| | | 272/9 | निजी | शुष्क | 0.16.0 | 1600 |
| | | 272/10 | निजी | शुष्क | 0.07.0 | 700 |
| | | 272/11ए | निजी | शुष्क | 0.08.5 | 850 |
| | | 272/12ए | निजी | शुष्क | 0.00.5 | 50 |
| | | 272/13ए | निजी | शुष्क | 0.03.0 | 300 |
| | | 272/14ए | निजी | शुष्क | 0.06.0 | 600 |

[फा. सं. आर. डब्ल्यू/एनएच-37011/6/99-यू एस (डी-1)]

अशोक जोशी, सचिव

**MINISTRY OF ROAD TRANSPORT AND HIGHWAYS
NOTIFICATION**

New Delhi, the 1st August, 2003

S.O. 883(E).— In exercise of the powers conferred by sub-section (1) of section 3A of the National Highways Act, 1956 (48 of 1956) (hereinafter referred to as the said Act), the Central Government, after being satisfied that for the public purposes, the lands, the brief description of which has been given in the Schedule below, are required for building (four-laning) of National Highway No.45 on the stretch from Km 104 to Km. 122 (Tambaram – Tindivanam Section) in the State of Tamil Nadu, hereby declares its intention to acquire such lands;

Any person interested in the lands, may, within twenty-one days from the date of publication of this notification in the Official Gazette, raise objection to the use of the land for the aforesaid purposes under sub-section (1) of section 3C of the said Act;

Every such objection shall be made to the competent authority i.e. the District Revenue Officer, Villupuram District, Tamil Nadu, in writing, and shall set out the grounds thereof and the competent authority shall give the objector an opportunity of being heard either in person or through a legal practitioner and may, after hearing of all such objections and after making such further inquiry, if any, as the competent authority thinks necessary, by order, either allow or disallow the objections;

Any order made by the competent authority under sub-section (2) of section 3C of the said Act shall be final;

The land plans and other details of lands covered under this notification are available, and can be inspected by the interested persons, at the office of the aforesaid competent authority.

SCHEDULE

Brief description of land to be acquired for four-laning of National Highway No. 45 on the stretch from Km.104 to Km.122 (Tambaram-Tindivanam Section) in Villupuram District in the State of Tamil Nadu.

DISTRICT : Villupuram**TALUK : Tindivanam**

| S.No. | Name of the Village | Survey Number | Type of Land | Nature of Land | Area of Land | |
|-------|---------------------|---------------|--------------|----------------|--------------|----------|
| | | | | | Hectares | Sq.mtrs. |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1. | Panchalam | 150/1B | Private | Dry | 0.15.5 | 1550 |
| | | 150/2B1 | Private | Dry | 0.38.5 | 3850 |
| | | 150/3B1 | Private | Dry | 0.42.5 | 4250 |
| 2. | Saram | 97/3B | Private | Dry | 0.00.5 | 50 |
| | | 97/10B | Private | Dry | 0.06.0 | 600 |
| | | 97/11B | Private | Dry | 0.11.0 | 1100 |
| | | 100/5 | Private | Dry | 0.08.5 | 850 |
| | | 100/6B | Private | Dry | 0.09.0 | 900 |
| | | 100/4B | Private | Dry | 0.05.5 | 550 |
| | | 100/7B | Private | Dry | 0.15.5 | 1550 |
| | | 100/8 | Private | Dry | 0.03.5 | 350 |
| | | 100/9 | Private | Dry | 0.07.0 | 700 |
| | | 100/10B | Private | Dry | 0.11.0 | 1100 |
| | | 100/11A | Private | Dry | 0.20.5 | 2050 |
| | | 100/11B | Private | Dry | 0.02.0 | 200 |
| | | 101/1B | Private | Dry | 0.00.5 | 50 |
| | | 101/3B | Private | Dry | 0.04.5 | 450 |
| | | 101/4 | Private | Dry | 0.09.5 | 950 |
| | | 101/5B | Private | Dry | 0.15.0 | 1500 |
| | | 101/6B | Private | Dry | 0.11.5 | 1150 |
| | | 101/9B | Private | Dry | 0.28.5 | 2850 |
| | | 101/10B | Private | Dry | 0.18.5 | 1850 |
| | | 104/3B | Private | Dry | 0.01.0 | 100 |
| | | 104/4B | Private | Dry | 0.18.5 | 1850 |
| | | 104/5B | Private | Dry | 0.17.0 | 1700 |
| | | 104/8B | Private | Dry | 0.00.5 | 50 |
| | | 104/9B | Private | Dry | 0.01.5 | 150 |
| | | 104/10B | Private | Dry | 0.06.0 | 600 |
| | | 104/11 | Private | Dry | 0.18.0 | 1800 |
| | | 104/12 | Private | Dry | 0.18.5 | 1850 |
| | | 259/1A | Private | Dry | 0.26.5 | 2650 |
| | | 259/2 | Private | Dry | 0.06.0 | 600 |
| | | 259/3 | Private | Dry | 0.06.0 | 600 |
| | | 259/4B | Private | Dry | 0.17.5 | 1750 |
| | | 259/5A | Private | Dry | 0.03.0 | 300 |
| | | 259/6A | Private | Dry | 0.01.5 | 150 |
| | | 268/1 | Private | Dry | 0.09.5 | 950 |
| | | 268/2 | Private | Dry | 0.12.0 | 1200 |
| | | 268/3 | Private | Dry | 0.17.5 | 1750 |

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|-----|-----|---------|---------|-----|--------|------|
| | | 268/4 | Private | Dry | 0.08.0 | 800 |
| | | 268/5 | Private | Dry | 0.11.0 | 1100 |
| | | 268/6A | Private | Dry | 0.14.0 | 1400 |
| | | 268/8A | Private | Dry | 0.00.5 | 50 |
| | | 268/9A | Private | Dry | 0.07.5 | 750 |
| | | 268/10A | Private | Dry | 0.04.0 | 400 |
| | | 268/11A | Private | Dry | 0.00.5 | 50 |
| | | 269/1 | Private | Dry | 0.08.0 | 800 |
| | | 269/2A | Private | Dry | 0.12.0 | 1200 |
| | | 269/3A | Private | Dry | 0.04.0 | 400 |
| | | 269/4 | Private | Dry | 0.31.0 | 3100 |
| | | 269/5A | Private | Dry | 0.03.0 | 350 |
| | | 269/6A | Private | Dry | 0.00.5 | 50 |
| | | 269/7 | Private | Dry | 0.17.5 | 1750 |
| | | 269/8 | Private | Dry | 0.05.5 | 550 |
| | | 269/9 | Private | Dry | 0.03.0 | 300 |
| | | 269/10 | Private | Dry | 0.04.0 | 400 |
| | | 269/11 | Private | Dry | 0.10.0 | 1000 |
| | | 269/12A | Private | Dry | 0.02.5 | 250 |
| | | 269/13A | Private | Dry | 0.11.0 | 1100 |
| | | 272/7B | Private | Dry | 0.02.0 | 200 |
| | | 272/8 | Private | Dry | 0.14.0 | 1400 |
| | | 272/9 | Private | Dry | 0.16.0 | 1600 |
| | | 272/10 | Private | Dry | 0.07.0 | 700 |
| | | 272/11A | Private | Dry | 0.08.5 | 850 |
| | | 272/12A | Private | Dry | 0.00.5 | 50 |
| | | 272/13A | Private | Dry | 0.03.0 | 300 |
| | | 272/14A | Private | Dry | 0.06.0 | 600 |

[F.No.RW/NH-37011/6/99-US(D-I)]

ASHOKE JOSHI, Secy.